granismos Transparismos	Lo Description	Collection to appearance with the second residence was a second to the second	Constitution of the second sec	25X1A	ation or was been at the first of the designation of the contraction o	
-			CATION SALESS GIA-ROPU	<del>32-00457R01170</del> 0	300009-4	25X1A
.		Germany (Sov			2 Malan Anga	· Creatings with right creeks in
TOPIC_	F	langsdorf Airfield	i. a ran granta, no iniciar goldgamento amportante de la successió sobreto compa 100, delegações e esper	P Morro ammonitudents. The residence of the residence of the residence (see all sections).	and the control of th	ele decides revolution vocable u
Marie Co. 3 and 4	HATTE OR SOME WHITE APPROXIMATION	kallinin valapanilinin siittiir siilinkii va raunun ilinenr persiitiinen vast liikkilmanket vuonkast	NOT THE ACTION OF THE PROPERTY WAS ASSESSED. THE ACTION OF THE PROPERTY OF THE	didaw (Birang) n	And the second s	n and the state of
1			PLACE OBTAINED		25X1C	Particular Chapter Chapter Shaper
DATE O	F CON	TENT17 February	v to 25 March 1952	on the second like throughput. I by without facts and a large they seem		-
DATE O	BTAINE	ED	25X1C DATE PREPAR	RED8 A	oril 1952	er Erfette der verstendersterlicher der der
REFERE	NCES_	and the second service of the second	The limited is to for a single standard and produce and builty and country to said their west the said builty t	MANY SECT SENSO STEERING OF THE SENSO	allergen (1985), stagen, de hjelet, stell gehenderen på stagen til grede en er er en det e de gjelen ble stell	The second secon
PAGES.		ENCLOSURE	S (NO. & TYPE)			
REMARI	KS	nerite factorina att vision compartar e e e a l'estation de l'appenie de activité, alla commune e e	IN TO CIA	arvida sa Provincialna, restaurajento politicajenios como es: (denta) a aplitato (per e alternati		
Arrender Mary Land	ndn ek zekendene g.com	ands to be desired and the factor of the control of	" 10 CIH			
MACO THESE WARRANCES	OR OR OR OR	Marije da sa	Bu BA	and Controlly deposits and the controlled the contr		
		25X1X KL	Time.	· 		
				BMIR-RENTESES AREA (Anthros	tant gannagan nis das . zu staat mat virjalande tuur valdinasti kalinisti konstatu. Arappettiina	
	<b>-</b> ,	12. 1. 5.	0.54	_		
	1.	observed that ma	8 March 1952, source passe my ET wearing coveralls w	are morbing on	a from 27 date	
25X1X		nowher of the Tal	nding field of Rangsdorf a ad made an emergency land	mun2 blaiffair	ce believed	
	2.	On 19 March, sou	rce observed that 11 creer	hinlanes a f	ighter with	
		was observed on	d a bomber were parked at the field for the first ti	the field. A	7 modium	
		facilities. Smal	ll flags were used as mark	tings.	e no righterik	
	-3.	at mangsdorr ran.	March, two new caterpillar lroad station. Two office ere. The vehicles were or	re and correr a	in force maldians	
	14.	On 17 February, r	no aircraft were observed	at the field.	There was no	
		Air Force soldier dark.	cular traffic was observed rs were posted. Only a fe	at the entran w billets were	ce where Soviet lighted after	
	5.	A woman from Ranghelp at Eangsdorf unit.	gsdorf said that she will f airfield in March or Apr	be probably em il after the an	ployed as a kitchen crival of a new	
	6.	more a conduct voice of	a. and 2:30 p.m. on 25 Mar the field. There was a c	TORRES OF 19	M to EOO matama	
		were occupied by were observed cle	of 800 meters. No mainter observation towers along to Soviet Air Force soldiers eaning in front of the thr	he Berlin-Zosse . Fourteen air se repair shops	en railroad line r force soldiers	
25X1		station. epaulets. A gene	ith timber arrived at the	field from the	Rangsdorf railroad	
25X1A	*	Correct. Trield is not suit	he plane certainly made an able for this aircraft ty:	n omergency lan	ding since the	
Pa	1	CLASSIFICA	TION SHORET			25X1A
						Consultation of the Commercial

Approved For Release 2002//ΕΧ/ΟβΑ CIA-RDP82-6	00457R011700300009-4	
2		25X1A

25X1A

Cornent. A repair shop for pistor aircraft engines is located in language. The report does not contain indications that essential charges occurred at the field. If the information furnished by the local resident on an additional occupation is correct, only a ground unit may be concerned since the landing field is not suitable for sustained operations.

	25X1A
SHORUT	